

STOic

CLARITY | INNOVATION | VISION

STH-D5591AFW





STOic Technologies 2MP Starlight HD Turret Dome with Motorized Zoom 2.7-13.5MM Lens, 100IR, Smart IR, IP66, 4 in1 Switchable




SPECIFICATIONS:

Model NO.	STH-D5591AFW		
Video Output Mode	AHD/CVI/TVI/CVBS 4 IN 1		
Camera			
Image Sensor	1/2.8" SONY Starvis Back-illuminated CMOS Sensor		
Image Resolution	2MP 1080P/ 960H		
Effective Pixels	1920*1080		
TV System	PAL/NTSC		
Electronic Shutter	1/25s~1/50,000s , 1/30s~1/60,000s		
S/N Ratio	≥50dB		
Scanning System	Progressive Scan		
Lens			
Focus Length	2.7-13.5mm		
Focus Control	Auto		
Lens Type	Motorized		
Pixels	2M Pixels		
Auto Iris Support	NO		
Night Vision			
Infrared LED	14μ x 24PCS		
Infrared Distance	30M (100')		
IR Power On / Off	Smart IR control		
Camera Features			

Starlight	YES
Day/Night	YES
OSD Menu Language	YES
White Balance	AUTO / MANUAL
Gain Control	AUTO
Noise Reduction	3DNR
Picture Adjustment	YES
WDR	YES
OSD Support	YES
UTC	YES
General	
Housing	Metal, IP66
Bracket	NO
Dual Voltage	NO
IR Cut Filter	YES
Heater	NO
Audio	NO
Operation Temperature	-10°C ~ +50°C RH95% Max
Storage Temperature	-20°C ~ +60°C RH95% Max
Power Source	DC12V±10%, 800mA
Dimension	Φ 119 x 98(H) mm
Weight	800g



STH-D5591AFW



Compatible Mounting Options:

IPSW-JB300 Junction Box / Base

IPSW-DB200 Deep Base

WM-D5900 Wall Mount Bracket

STC-100W Wall Mount Bracket

www.stoiccctv.com