

# STOic

CLARITY | INNOVATION | VISION

STH-D5M88AFW





STOic Technologies 5MP Starlight HD Turret Dome with Motorized Zoom 2.7-13.5MM Lens, 100IR, Smart IR, IP66, 4 in1 Switchable



## SPECIFICATIONS:

<b>Model NO.</b>	<b>STH-D5M61AFW</b>		
<b>Video Output Mode</b>	AHD/CVI/TVI/CVBS 4 IN 1		
<b>Camera</b>			
Image Sensor	1/2.8" SONY Starvis Back-illuminated CMOS Sensor		
Image Resolution	5MP		
Effective Pixels			
TV System	PAL/NTSC		
Electronic Shutter	1/25s~1/50,000s , 1/30s~1/60,000s		
S/N Ratio	≥50dB		
Scanning System	Progressive Scan		
<b>Lens</b>			
Focus Length	2.7-13.5mm		
Focus Control	Auto		
Lens Type	Motorized		
Pixels	6M Pixels		
Auto Iris Support	NO		
<b>Night Vision</b>			
Infrared LED	14μ x 24PCS		
Infrared Distance	30M (100')		
IR Power On / Off	Smart IR control		
<b>Camera Features</b>			

Starlight	YES
Day/Night	YES
OSD Menu Language	YES
White Balance	AUTO / MANUAL
Gain Control	AUTO
Noise Reduction	3DNR
Picture Adjustment	YES
WDR	YES
OSD Support	YES
UTC	YES
<b>General</b>	
Housing	Metal, IP66
Bracket	NO
Dual Voltage	NO
IR Cut Filter	YES
Heater	NO
Audio	NO
Operation Temperature	-10°C ~ +50°C RH95% Max
Storage Temperature	-20°C ~ +60°C RH95% Max
Power Source	DC12V±10%, 800mA
Dimension	Φ 119 x 98(H) mm
Weight	800g



**STH-D5M88AFW**



**Compatible Mounting Options:**

**IPSW-JB300** Junction Box / Base

**IPSW-DB200** Deep Base

**WM-D5900** Wall Mount Bracket

**STC-100W** Wall Mount Bracket

[www.stoiccctv.com](http://www.stoiccctv.com)